		No.
17.	Six levered lock (Brass)	1
18.	Miller locks (medium)	5
19.	Miller locks (small)	3
20.	Cyclostyle roller	1
21.	ಬಂಡಿಗೆ	1
22.	ನಾಮು	2
23.	ಮಣಿಗಳು	3

C. KRISHNASWAMI RAO,
Head Master.

GOVERNMENT OF MYSORE, ELECTRICAL DEPARTMENT.

Abstract Notification G. N. 14, dated 28th June 1937.

Sealed tenders will be received in the office of the Chief Electrical Engineer, Bangalore, for the supply of I-Beams, 8"×5", published on page 1054 of Part VI of the *Mysore Gazette*, dated 1st July 1937.

The last date for the receipt of tenders is 20th July 1937, 12 NOON.

Abstract Notification dated 17th June 1937.

SALE OF STEEL SOCKET POLES.

Attention of the public is invited to the detailed Notification, relating to the sale of Electrical Hardware Materials, published in the *Mysore Gazette*, dated 1st July 1937, Part VI, page No. 1054, for information.

The tenders are due at the office of the undersigned upto 2 P.M. on 12th July 1937, with an earnest money of Rs. 100.

A. C. MUNIRATNAM,
Dy. *Chief Electrical Engineer.*

OFFICE OF THE CHIEF COMMANDANT, MYSORE STATE TROOPS, BANGALORE.

Notice dated 5th July 1937.

Sealed tenders are invited for the supply of about 800 casuarina poles (length 14', diameter at the top 3") required for the Mysore Lancers during the official year 1937-38.

2. Tenders should be addressed to the Chief Commandant, Mysore State Troops and superscribed "Tenders for the supply of casuarina poles."

3. Tenders will be received at the Chief Commandant's Office on Monday the 26th July 1937 till 5 P.M., after which no tender will be received.

4. Tenders should clearly show the rate at which the articles will be delivered free at the Mysore Lancers, Hebbal, Bangalore.

5. Every tender should be accompanied with a deposit of Rs. 25 in currency notes. If the tender is accepted and the tenderer fails to undertake the contract, his earnest money will be forfeited to Government and the acceptance of his tender cancelled. If the tender is not accepted, the amount will be returned to the tenderer.

6. The name of the successful tenderer will be notified in due course on the Notice Board in the Chief Commandant's Office and he will be required to deposit as security an amount equal to five per cent of the value of the order, and to execute an agreement for the due fulfilment of the contract for the supply required.

7. The Officer Commanding, Mysore Lancers, will indent on the contractor for these poles as and when required, which should be supplied to him within the time specified therein, the receipt obtained for such supplies being submitted with the bill once a month to the indenting officers for check and countersignature.

8. The quantity noted is only approximate and not gauranteed, and the quantity to be purchased may be more or less. The contract will be deemed to be limited to the quantity to be actually drawn.

9. No application from the contractor for any enhancement of the price accepted due to whatsoever causes during the period of contract will be entertained.

10. Should the contractor fail to comply with any of the conditions detailed above, the contract will be forthwith cancelled and the security deposit forfeited to Government.

11. The Chief Commandant reserves to himself the right of accepting or rejecting any tender without assigning any reason therefor.

12. The poles supplied should be in strict accordance with the abovementioned specification.

S. ABDUL KHALAK,
For *Chief Commandant.*

OFFICE OF THE ASSISTANT ENGINEER, HEADQUARTER RANGE, MYSORE.

Notification dated 1st July 1937.

1. Sealed tenders will be received at the office of the Assistant Engineer, Headquarter Range Mysore, up to 12 Noon on 19th July 1937, for the construction of Sri Meenambal Maternity and Child Welfare Centre at Nazarbad, Mysore.

2. Tenders in the prescribed form obtainable from the office of the Assistant Engineer, Headquarter Range, Mysore, on payment of rupee one for each form, should be addressed to the Assistant Engineer, Headquarter Range, and should be superscribed as "Tender for the construction of Sri Meenambal Maternity and Child Welfare Centre, Mysore." The name of the tenderer should also be superscribed on the sealed cover.

3. Each tender must be accompanied by a deposit of Rs. 300 (three hundred rupees) only in cash as earnest money. The earnest money of the successful tenderer will be retained as security deposit for due fulfilment of the contract. (Cash amount will not carry any interest.) In case of the acceptance of the tender, an additional security amount of Rs. 300 will have to be deposited immediately.

4. The tenders will be opened in the presence of such tenderers who wish to be present on 19th July 1937 at 3 P.M. The final acceptance of the tender will rest with the Assistant Engineer who does not bind himself to accept the lowest or any tender, or to assign any reasons whatever, for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Assistant Engineer's Office in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute the agreement in the departmental schedule contract form for the due fulfilment of the contract and the additional security amount referred to in clause 3 above furnished in cash.

6. Failure to comply with the condition 5 above or to agree to carry out the work in accordance with the specifications and agreements in force will entail forfeiture of the earnest money.

7. Copies of contract documents, estimates and drawings may be seen at any time at the office of the Assistant Engineer, Headquarter Range, Mysore, on all working days between 11 A.M. and 5 P.M.

8. Specific rate should be given for each item in the Schedule, and the rates should be in rupees, annas and in multiples of three pies and expressed in words and figures. Tenderers offering a percentage increase or decrease on the estimate amount or estimated rates or the lowest tender will be rejected.

9. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates tendered should include all such lumpsum items.

10. No alterations which are made by the tenderers in the contract documents in the nomenclature of the sanctioned sub-heads will be recognised and if corrections are made the tenders will be liable to rejection.

11. There should be no corrections or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.

12. No reference should be made to the Public Works Department current schedule of rates.

13. On the event of the tender being submitted by a firm, it must be signed separately and severally by each member thereof or in the event of absence of any partner, it must be signed on his behalf by a person holding power of attorney authorising him to do so.

14. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered, the rates to be proposed by the Assistant Engineer, Headquarter Range, Mysore, and approved by the Superintending Engineer shall be final and legally binding on the tenderer.

15. The quantities given in the schedule are only approximate and are liable to alterations, omissions, deductions, or additions, at the discretion of the Assistant Engineer, or his representative. The tendered rates will hold good for any quantity whether higher or lower than those given in the enclosed schedule.

16. The work should be completed and handed over to the Public Works Department before the end of September 1937, failing which the Assistant Engineer may, at his discretion, levy a penalty of Rs. 10 per day, which will be recovered from the contractor's outstandings for the period exceeded by him till the work is completed and handed over.

17. In all matters of dispute of any kind, not specially provided for in the agreement or of rates, penalties, measurements, quality of work, etc., the decision of the Superintending Engineer shall be final and legally binding.

18. The earnest money of rejected tenders will be returned on submission of the receipts originally granted, along with an application to the Assistant Engineer, Headquarter Range, Mysore.

19. No claims for damages for delays caused by officers of the department in the execution of the work will be considered, whatever may be the reason for such delays. Contractors should

bear this in mind when tendering for work. Extension of time due to delays caused by the departmental officers will however be considered on the merits of each case.

20. The contract should not be sublet.

21. All materials, tools and plant and machinery, old doors, windows, etc., that will be supplied by the Assistant Engineer, in the interest of the work, shall be accepted by the tenderer at the rates fixed by the Assistant Engineer and the tenderers will pay the hire, etc., on machinery and tools and plant at the prescribed per cent per annum of the booked value of the tools and plant supplied from the date of taking over of tools and plant from the Stores to the date of return to the Stores, the dates considered being the dates of acknowledgments of the vouchers in each transaction.

22. The contractors should arrange for the payment of Royalty and Tolls,

Note.—(A) The Contractor should at his own cost—

(1) provide rods, stakes, ropes and labours required in setting out the works,

(2) provide all necessary scaffolding, centering labour and appliance for hoisting,

(3) provide mortar mill and shed to keep materials under cover and also for workmen,

(4) arrange for protecting work during inclement weather,

(5) supply requisite temporary lights, water cisterns, water-shoots, covering to masonry, tile pieces to steps, sieves, parahas or measures, storing and other requisite protection during the progress of the work,

(6) supply all water required for work and workmen and shall provide latrines, drainages, etc.,

(7) clean away all dirt, rubbish, superfluous materials and debris as they accumulate.

(8) provide arrangements for pumping and baling from excavations and foundations, wherever and whenever necessary with his own pumping apparatus, including necessary leading drains, slump pits, etc.,

(9) wash floors at completion and leave the whole of the work and premises in a clean and orderly condition, etc.,

(10) afford facilities to any other parties employed upon the work, so that their work may proceed during the progress of the contract and give such persons the use of ordinary scaffolding and ladders.

Note.—(B) It is the business of the Contractor to make his own arrangements for the quarries and supplies of materials.

23. The rates for wood work for all works quoted should be based on the rates of the departmental supply as noted below. Only Mysore Teak selected from the Mysore Depots must be used.

Prevailing Government rates at Mysore Forest Depot for—

	Rs.	a.	p.		
(1) Selected 1st class logs	2	8	0	per c.ft.	
(2) Cut scantling of sizes	3	4	0	„	for sizes 3″×4″
(2).(*a*) Do	3	12	0	„	for sizes 3″×5″ to 4″×7″
(3) Planks 1″ to 1¾″ of required sizes ..	4	8	0	„	..

Abstract estimate for constructing Sri Meenambal Maternity and Child Welfare Centre in the open plot to the west of Nazarbad Dispensary, Mysore.

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs. a. p.
1	Earthwork excavation and using the earth for filling in basement including watering, tamping, etc., complete	C.yds.		149	
2	Broken granite stone jelly concrete in Chunam mortar and filling in foundation in layers of 6″ in depth	C.ft.		1,338	
3	Burnt brick in Chunam mortar for filling in foundation and basement	„		1,779	

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs. a. p.
4	Burnt brick in mud superstructure ..	C.ft.		3,894	
5	Burnt stone slabs 6" thick, roughly dressed and fixed on mortar bed	S.ft.		339	
6	Cement concrte slabs of granite broken jelly in proportion of 1 : 2 : 4 including fixing	C.ft.		134	
7	Teakwood doors with frames 3"×5" without bottom cills having panelled shutters of 1½" thick including Acme brass fittings superior rim locks with handles, etc., complete	S.ft.		144	
8	Teakwood doors with frames 3"×5" without bottom cills having 1½" thick shutters ⅓ panelled and ⅔ glazed including Acme brass fittings superior Rim Lock, etc., complete	,,		91	
9	Teakwood windows with frame 2½"×4" having one side glazed shutters and brass fittings, etc., complete	,,		227	
10	Reinforced cement concrete fret work Ventilator as per approved design	,,		20	
11	Tested rolled steel girders 12"×6" as per British Standard specification including hoisting, etc., complete and with one coat of anticorrosive paint	Cwt.		7·70	
12	(*a*) Roofing with brick nogged terrace including wedge shaped reinforced cement concrete joists, 3" of surki concrete, two courses of flat tiles, top and bottom chunam plastering coving to ceiling and white-washing, etc., complete	Sqr.		20·08	
	(*b*) Alternative item for roofing reinforced cement concrete terrace for spans not exceeding 10" with reinforcements complete 4" to 6" thick with 3" kappi on top and two courses of flat tiles including top and ceiling plastering and white-washing with coving, etc., complete	Sqr.		20.08	
13	Ornamental cornice work with cement and chunam plasters as required and as per design	R.ft.		98	
14	Plain band cornice as per design	,,		248	
15	Constructing parapet wall 5½' high 9" thick with burnt brick in composite mortar and chunam plastering with necessary ornamentations and white or colour washing, etc., complete	,,		32	
16	Constructing parapet wall 2' high and 9" thick with burnt brick in mortar including base moulding, chunam plastering with necessary ornamentations white or colour washing as per design, etc., complete	,,		218	
17	Teakwood wrought and put up with wood oiling	C.ft.		73·5	
18	Teakwood double pillars 7½' high including base and capitals as per approved design including painting, etc.	Each		14	
19	Roofing with 1st class Mangalore pattern tiles on teak reepers of 2"×1"	Sqr.		12·87	

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs. a. p.
20	Teakwood eave board 9″ by ¾″ thick as per design including painting and fixing, etc., complete	R.ft.		139	
21	Chunam plastering smooth after raking joints	Sqr.		46·99	
22	White and colour washing	,,		46·99	
23	Painting with dulex or other paint of approved quality	,,		6·52	
24	Flooring with 1½″ cement concrete over 3″ chunam concrete and colour cement plastering and rendering smooth including cutting into tile or other pattern as directed	Sqr.		25·48	
25	Boxing up girders 12″×6″ with bricks in cement mortar and with reinforcements and with galvanized tox tied from above and plastering and white-washing, etc., complete	R.ft.		18	

M. A. RAMANUJAM,
Assistant Engineer.

OFFICE OF THE DEPUTY COMMISSIONER, KOLAR DISTRICT.

Notification No. A9–T. Rest. Est. 12 *of* 1936-37, *dated* 28*th June* 1937.

Under Section 3, Minor Tank Restoration Regulation, No. XV of 1923, it is hereby notified for the information of all concerned that the Restoration of Kondanahalli Hirinaikankere Tank, Chintamani Taluk, will be taken up by Government Agency at an estimated cost of Rs. 6,300-0-0. Objections, if any, to the proposed restoration should be preferred to the undersigned in writing, within two months from the date of this Notification, after which no objections will be heard.

J. APPAJI GOWDA,
Deputy Commissioner.

OFFICE OF THE ASSISTANT COMMISSIONER, SHIMOGA SUB-DIVISION, SHIMOGA.

Sale Notification No. R. 4 *C.* 920-207 *of* 36-37, *dated the* 28*th June* 1937.

It is hereby notified for the information of the public that the 3 H.P. Oil Engine and Deep Well Pump supplied by Government for making drinking water available to the houses in the Bhadra Agricultural Colony will be sold in Public auction at Bhadra Colony near Bhadravathi on Tuesday the 27th July 1937 at 11 A.M. The successful bidder shall, immediately after the sale, pay one-fourth of the sale amount together with the local cess, etc. In default, a resale will be held at his risk. If the deficit amount is not paid, it will be recovered as arrears of Land Revenue.

Within 15 days of the intimation of the confirmation of the sale, the accepted bidder shall pay the balance of the sale amount in full and get possession of the articles referred to above.

The sale is subject to the confirmation by the Deputy Commissioner, Shimoga.

The first bidder will not be entitled to any increase that may be accrued by a resale.

SYED ABDUL ALEEM,
Assistant Commissioner.